L Number	Hits	Search Text	DB	Time stamp
	HITS 5	(("5874361") or ("5868848") or ("5790365")	USPAT;	2003/10/01 15:14
1) 3	or ("5665166") or ("6033482")).PN.	EPO; JPO	2003/10/01 13:14
	8	(("5310453") or ("5529657") or ("5790365")	USPAT;	2003/09/05 21:10
-	! °	(EPO; JPO	2003/03/03 21:10
		or ("5874361") or ("5904779") or	EPO, OPO	
		("5547539") or ("5458687") or		
		("6202590")).PN.	HODAM.	2002/00/05 13.55
-	9	(("5310453") or ("5529657") or ("5790365")	USPAT;	2003/09/05 13:55
		or ("5874361") or ("5904779") or	EPO; JPO	
		("5547539") or ("5458687") or ("6202590")		
		or ("5567267")).PN.		· · · · · · · · · · · · · · · · · · ·
-	547	(118/723r).CCLS.	USPAT	2003/09/05 13:57
-	1078	(118/728).CCLS.	USPAT	2003/09/05 13:57
-	417	(361/234).CCLS.	USPAT	2003/09/05 13:57
-	310	(279/128).CCLS.	USPAT	2003/09/05 13:57
-	129	(156/345.43).CCLS.	USPAT	2003/09/05 13:58
- !	116	(156/345.44).CCLS.	USPAT	2003/09/05 13:58
_	58	(156/345.45).CCLS.	USPAT	2003/09/05 13:58
_	124	(156/345.46).CCLS.	USPAT	2003/09/05 13:58
_	154	(156/345.47).CCLS.	USPAT	2003/09/05 13:58
_	629		USPAT	2003/09/05 13:58
_	206		USPAT	2003/09/05 14:30
	757518	h011021\$.ipc. c23c016\$.ipc.	JPO;	2003/09/17 14:42
	, 5, 525		DERWENT	
<u>_</u>	11379	(h011021\$.ipc. c23c016\$.ipc.) and	JPO;	2003/09/05 15:58
	1 110,9	(detect\$3 measur\$5 sens\$3 test\$3) with	DERWENT	
		(charge\$2 impedance\$2 voltage\$2		
		(charges2 impedances2 voitages2 capacitance\$2)		
	2768	((h011021\$.ipc. c23c016\$.ipc.) and	JPO;	2003/09/05 14:33
_	2/00		DERWENT	2003/03/03 14.33
		(detect\$3 measur\$5 sens\$3 test\$3) with	DEKMENI	
		(charge\$2 impedance\$2 voltage\$2		
		capacitance\$2)) and (electrode\$2 cathode\$2		
	100	anode\$2)	TDO	2002/00/05 16:00
-	129	' ' ' '	JPO;	2003/09/05 16:00
		(detect\$3 measur\$5 sens\$3 test\$3) with	DERWENT	
		(charge\$2 impedance\$2 voltage\$2		
		capacitance\$2)) and (electrode\$2 cathode\$2		
		anode\$2)) and ((remov\$3 releas\$3 dechuck\$3		
		chuck\$3) with (wafer substrate object		
		work))		
-	9	(((h011021\$.ipc. c23c016\$.ipc.) and	JPO;	2003/09/05 15:46
		(detect\$3 measur\$5 sens\$3 test\$3) with	DERWENT	
		(charge\$2 impedance\$2 voltage\$2		
		capacitance\$2)) and (electrode\$2 cathode\$2		
		anode\$2)) and ((detach\$3) with (wafer		
		substrate object work))		
-	3	((((h011021\$.ipc. c23c016\$.ipc.) and	JPO;	2003/09/05 15:46
	1	(detect\$3 measur\$5 sens\$3 test\$3) with	DERWENT	
		(charge\$2 impedance\$2 voltage\$2		
		capacitance\$2)) and (electrode\$2 cathode\$2	1	
j		anode\$2)) and ((detach\$3) with (wafer		
		substrate object work))) not		
}		((((h011021\$.ipc. c23c016\$.ipc.) and		
		(detect\$3 measur\$5 sens\$3 test\$3) with		
		(charge\$2 impedance\$2 voltage\$2		
		capacitance\$2)) and (electrode\$2 cathode\$2		
		anode\$2)) and ((remov\$3 releas\$3 dechuck\$3		
		chuck\$3) with (wafer substrate object		
		work)))		
	97	(156/345.28).CCLS.	USPAT	2003/09/05 15:57
_	ا آهُ	("456789101112131416").PN.	USPAT	2003/09/05 15:58
	3596		USPAT;	2003/09/05 15:58
		((118/728).CCLS.) ((361/234).CCLS.)	EPO; JPO	1111, 12, 13, 13, 13, 13, 13, 13, 13, 13, 13, 13
		((279/128).CCLS.) ((156/345.43).CCLS.)	====	
		((156/345.44).CCLS.) ((156/345.45).CCLS.)		
		((156/345.44).CCLS.) ((156/345.45).CCLS.)		
	1	((156/345.46).CCLS.) ((156/345.47).CCLS.) ((315/111.21).CCLS.)		1

		,		
	922	(((118/723e).CCLS.) ((118/723r).CCLS.)	USPAT	2003/09/17 14:42
1		((118/728).CCLS.) ((361/234).CCLS.)		
1	ļ	((279/128).CCLS.) ((156/345.43).CCLS.)		
		((156/345.44).CCLS.) ((156/345.45).CCLS.)		
		((156/345.46).CCLS.) ((156/345.47).CCLS.)		
1		((315/111.21).CCLS.) ((156/345.51).CCLS.))		
		and (control\$4 monitor\$3 detect\$3 measur\$5		
		sens\$3 test\$3) with (charge\$3 impedance\$2		
		voltage\$2 capacitance\$2)		
1_	468	((((118/723e).CCLS.) ((118/723r).CCLS.)	USPAT	2003/09/05 16:02
_	1		USIAI	2003/03/03 10:02
		((118/728).CCLS.) ((361/234).CCLS.)		
	1	((279/128).CCLS.) ((156/345.43).CCLS.)		İ
İ		((156/345.44).CCLS.) ((156/345.45).CCLS.)		
		((156/345.46).CCLS.) ((156/345.47).CCLS.)		
		((315/111.21).CCLS.) ((156/345.51).CCLS.))		
	Ì	and (control\$4 monitor\$3 detect\$3 measur\$5		
		sens\$3 test\$3) with (charge\$3 impedance\$2	Ì	
		voltage\$2 capacitance\$2)) and ((detach\$3		
		remov\$3 releas\$3 dechuck\$3 chuck\$3) with		
		(wafer substrate object work))		
-	12	(("6221155") or ("5534751") or ("6485602")	USPAT;	2003/09/05 21:12
		or ("6264788") or ("6074518") or	EPO; JPO	
		("5900103") or ("6089181") or ("6068729")		
	1	or ("4539068") or ("6149730") or		
1	İ		1	
1		("5356722") or ("5286297")).PN.	1,,,,,,	0000/00/15 50 55
_	950	1 .	USPAT	2003/09/17 13:33
-	417		USPAT	2003/09/17 14:43
-	44		USPAT	2003/09/17 19:10
-	8	((118/723e).CCLS.) and dechuck\$3	USPAT	2003/09/17 17:27
i _	18	f	USPAT	2003/09/17 15:51
1_	13	(156/345\$.ccls. and dechuck\$3) not	USPAT	2003/09/17 15:40
	13		ODIAI	2003/03/17 13:40
		(((118/723e).CCLS.) and dechuck\$3)		0000 (00 (17 15 50
-	31	(h011021\$.ipc. c23c016\$.ipc.) and	JPO;	2003/09/17 15:50
		dechuck\$3	DERWENT	
-	98	((361/234).CCLS.) and (remov\$3 with	USPAT	2003/09/17 17:30
ł		charq\$3)		
-	71	(((361/234).CCLS.) and (remov\$3 with	USPAT	2003/09/17 16:16
		charg\$3)) not (((361/234).CCLS.) and		2000, 00, 21
				1
	3.5	dechuck\$3)		0000/00/17 15 50
-	16	118/723\$.ccls. and dechuck\$3	USPAT	2003/09/17 15:52
-	8	(118/723\$.ccls. and dechuck\$3) not	USPAT	2003/09/17 15:52
		(((118/723e).CCLS.) and dechuck\$3)		
-	2	((118/723\$.ccls. and dechuck\$3) not	USPAT	2003/09/17 15:52
		(((118/723e).CCLS.) and dechuck\$3)) not		
		(156/345\$.ccls. and dechuck\$3)		
	270	yamashita-toshihiro\$.in.	TICDAM.	2003/09/17 15:55
_	270	yamasnita-tosniniroş.in.	USPAT;	2003/09/1/ 15:55
			US-PGPUB;]
			EPO; JPO;	
			DERWENT	1
-	91	"applied materials".as. and dechuck\$3	USPAT	2003/09/17 15:56
_	55	("applied materials".as. and dechuck\$3)	USPAT	2003/09/17 15:56
		not (((361/234).CCLS.) and dechuck\$3)	332	
	E 0		IICDAM	2002/00/12 15-50
_	50	(("applied materials".as. and dechuck\$3)	USPAT	2003/09/17 15:56
		not (((361/234).CCLS.) and dechuck\$3))		
		not (((118/723e).CCLS.) and dechuck\$3)		
-	63	ise-hirotoshi\$.in.	USPAT;	2003/09/17 17:19
			US-PGPUB;	.
			EPO; JPO;	
			DERWENT	
_	40	((("applied materials".as. and dechuck\$3)	USPAT	2003/09/17 15:59
	40		OPEWI	2003/03/1/ 13:39
1		not (((361/234).CCLS.) and dechuck\$3))]
1		not (((118/723e).CCLS.) and dechuck\$3))		
		not (156/345\$.ccls. and dechuck\$3)		
-	97		USPAT	2003/09/17 16:17
-	268	1	USPAT;	2003/09/17 17:26
		ise-hirotoshi\$.in.	US-PGPUB;	
	1	TOC HITOCOSHIA.TH.	1	
	1		EPO; JPO;	
			DERWENT	
-	607	(438/710).CCLS.	USPAT	2003/09/17 17:27
-	7	((438/710).CCLS.) and dechuck\$3	USPAT	2003/09/17 17:27
-	29	((438/710).CCLS.) and (remov\$3 with	USPAT	2003/09/17 17:30
-	[charg\$3)		
L	<u> </u>			L

Ţ	

-	27	(((438/710).CCLS.) and (remov\$3 with	USPAT	2003/09/17 17:36
	1	charg\$3)) not (((438/710).CCLS.) and		į l
		dechuck\$3)		
1_	9	(("6430022") or ("6377060") or ("6185085")	USPAT;	2003/09/17 17:37
-		or ("6125025") or ("6104595") or	EPO; JPO	2000,00,00
		Of (6125025") Of (6104595) Of	EFO, 010	
		("6075375") or ("5818682") or ("5459632")		
	İ	or ("6447613")).PN.	l	0000 (00 (47 40 04
-	0	("voltagewithprobe").PN.	USPAT	2003/09/17 19:04
-	0	("voltagewithprobe").PN.	USPAT	2003/09/17 19:04
_	8437	voltage with probe	USPAT	2003/09/17 19:04
i -	17	((361/234).CCLS.) and (voltage with	USPAT	2003/09/17 19:08
1		probe)		
	12	((118/723e).CCLS.) and (voltage with	USPAT	2003/09/17 19:08
-	12	probe)	001111	2003, 03, 1, 13100
	1 11		USPAT	2003/09/17 19:08
-	11	(((118/723e).CCLS.) and (voltage with	USFAI	2003/03/17 13:00
		probe)) not (((361/234).CCLS.) and		
		(voltage with probe))	<u> </u>	
	8	((361/234).CCLS.) and (dechuck\$3 same	USPAT	2003/09/17 19:10
1		gap)		
-	2110	118/728.ccls. 118/723e.ccls.	USPAT	2003/09/22 17:53
		156/345.43.ccls. 156/345.47.ccls.		
		156/345.51.ccls.		!
	1504		USPAT	2003/09/22 17:53
-	1504	(118/728.ccls. 118/723e.ccls.	JULAI	2003/03/22 17.33
		156/345.43.ccls. 156/345.47.ccls.		
		156/345.51.ccls.) and plasma		0000/00/00
-	372	((118/728.ccls. 118/723e.ccls.	USPAT	2003/09/30 18:49
		156/345.43.ccls. 156/345.47.ccls.		
		156/345.51.ccls.) and plasma) and chuck		
_	249	(((118/728.ccls. 118/723e.ccls.	USPAT	2003/09/30 18:41
		156/345.43.ccls. 156/345.47.ccls.		
Ţ		156/345.51.ccls.) and plasma) and chuck)		
1				į
		and (inductance capacitance impedance		
		voltage)		
_	174	((((118/728.ccls. 118/723e.ccls.	USPAT	2003/09/30 18:09
		156/345.43.ccls. 156/345.47.ccls.		
		156/345.51.ccls.) and plasma) and chuck)		
		and (inductance capacitance impedance		
		voltage)) and (detect\$5 measur\$5 sens\$5		
		monitor\$5)		
1_	45	(((118/728.ccls. 118/723e.ccls.	USPAT	2003/09/22 17:57
-	1 43	156/345.43.ccls. 156/345.47.ccls.	001111	2003,03,22 1,13.
		156/345.51.ccls.) and plasma) and chuck)		
		and ((inductance capacitance impedance		1
		voltage) with (detect\$5 measur\$5 sens\$5		
		monitor\$5))	1	
-	72	(((118/728.ccls. 118/723e.ccls.	USPAT	2003/09/30 17:32
		156/345.43.ccls. 156/345.47.ccls.		
		156/345.51.ccls.) and plasma) and chuck)		
	1	and ((inductance capacitance impedance		
	1	voltage) same (detect\$5 measur\$5 sens\$5		
	1	monitor\$5))	TICDATE.	2003/09/30 18:09
-	175	((((118/728.ccls. 118/723e.ccls.	USPAT;	2003/09/30 18:09
	i	156/345.43.ccls. 156/345.47.ccls.	DERWENT	
		156/345.51.ccls.) and plasma) and chuck)		
1		and (inductance capacitance impedance		1
		voltage)) and (detect\$5 measur\$5 sens\$5	1	1
		monitor\$5)] 1
-	103	(((((118/728.ccls. 118/723e.ccls.	USPAT;	2003/09/30 18:09
		156/345.43.ccls. 156/345.47.ccls.	DERWENT	
		156/345.51.ccls.) and plasma) and chuck)		
		and (inductance capacitance impedance		
		voltage)) and (detect\$5 measur\$5 sens\$5	1	
		monitor\$5)) not ((((118/728.ccls.		į į
		118/723e.ccls. 156/345.43.ccls.	1	
1		156/345.47.ccls. 156/345.51.ccls.) and		<u> </u>
1		plasma) and chuck) and ((inductance		
		capacitance impedance voltage) same		
1		(detect\$5 measur\$5 sens\$5 monitor\$5)))	1	
L	1	1 (2-2227) 2002227		<u> </u>



	0.51	110/70010	USPAT;	2003/09/30 18:41
-	251	(((118/728.ccls. 118/723e.ccls.	DERWENT	2003/09/30 18:41
		156/345.43.ccls. 156/345.47.ccls.	DEKWENI	
	İ	156/345.51.ccls.) and plasma) and chuck)		
		and (inductance capacitance impedance		
		voltage)		0000 (00 (00 10 10
-	76		USPAT;	2003/09/30 18:42
		156/345.43.ccls. 156/345.47.ccls.	DERWENT	
		156/345.51.ccls.) and plasma) and chuck)		
		and (inductance capacitance impedance		
		voltage)) not (((((118/728.ccls.		
		118/723e.ccls. 156/345.43.ccls.		
		156/345.47.ccls. 156/345.51.ccls.) and		
		plasma) and chuck) and (inductance		
İ		capacitance impedance voltage)) and		
1		(detect\$5 measur\$5 sens\$5 monitor\$5))		
-	374	((118/728.ccls. 118/723e.ccls.	USPAT;	2003/09/30 18:49
		156/345.43.ccls. 156/345.47.ccls.	DERWENT	
•		156/345.51.ccls.) and plasma) and chuck		
-	123	' ' ' = = = ' = = = = = =	USPAT;	2003/09/30 19:17
		156/345.43.ccls. 156/345.47.ccls.	DERWENT	
		156/345.51.ccls.) and plasma) and chuck)		
		not ((((118/728.ccls. 118/723e.ccls.		l
		156/345.43.ccls. 156/345.47.ccls.		
		156/345.51.ccls.) and plasma) and chuck)		
		and (inductance capacitance impedance		1
		voltage))		
-	15	(("5665166") or ("5665167") or ("5708250")	USPAT;	2003/09/30 19:23
		or ("5868848") or ("6033482") or	EPO; JPO	
		("6174450") or ("6367413") or ("5478429")		
		or ("5584971") or ("5557215") or		
		("6201208") or ("6232236") or ("6109896")	•	
		or ("5529657") or ("6416618")).PN.		
-	15	(USPAT;	2003/09/30 19:23
		or ("5868848") or ("6033482") or	EPO; JPO	
		("6174450") or ("6367413") or ("5478429")		
		or ("5584971") or ("5557215") or		
		("6201208") or ("6232236") or ("6409896")		
		or ("5529657") or ("6416618")).PN.		